



U.S. Ice Machine Mfg. Co.

- Rated as one of the strongest ice machines in the world.
- Most efficient in electrical and water consumption.
- Very economical, rugged and dependable.
- Produces 3 ice cube sizes:
7/8", 1-1/8", and 1-3/8"
- Up to 5.0 tons of crystal clear round ice per day.
- **Controls:**
The world's simplest round ice machine - no electronics, no computers.



- **Refrigerant:**
Environmentally safe R-22 refrigerant used.
- **Electrical Requirements:**
208-230 volts, 3 phase, 60 Hz. (Other configurations are available upon request, including 50 Hz.)
- All surfaces coming into contact with water or ice (including cover) are manufactured from 304 stainless steel.
- Pricing includes air-cooled condenser.
- Optional insulated case available.

- Control panel: made of heavy-duty stainless steel, and has no electronics or computers. Simplest system when compared to other manufacturers' systems. Designed so simply that owner/operator can fix it himself. All replacement parts are readily available at any refrigeration dealer worldwide.
- All machines are tested and balanced for a minimum of 48 hours before leaving the factory.
- Leasing programs available within the United States.
- We can custom-build ice machines for any application.



Length: 122" Width: 41" Height: 36"

REMOTE CONDENSER

ONE OF THE STRONGEST ICE MACHINES IN THE WORLD

650 N.W. 123rd Street • North Miami, FL 33168

Tel. 305.681.0023 • Toll-Free 877.681.6623 • Fax 305.681.5154


Email: info@usicemachinemfg.com • Website: www.usicemachinemfg.com www.usicemachine.net

US-1000TI 10,000 Lb. Round Ice Machine



MODEL: US-1000TI

CAPACITY: 10,000 Lbs. per day



Length: 68" Width: 40" Height: 86"

SPECIFICATIONS

7/8" Diameter Ice

1-1/8" Diameter Ice

WATER TEMP.	CAPACITY LBS (PER 24 HRS.)	KWH (PER 100 LBS.)	WATER REQ. (GPM)	
			ICE	COND.
90° F	9,350	3.15	0.87	65
80° F	10,400	2.95	0.91	23
70° F	11,200	2.80	0.98	12
60° F	12,000	2.55	1.01	10
50° F	12,650	2.30	1.07	7

WATER TEMP.	CAPACITY LBS (PER 24 HRS.)	KWH (PER 100 LBS.)	WATER REQ. (GPM)	
			ICE	COND.
90° F	8,650	3.68	0.81	65
80° F	9,400	3.47	0.85	23
70° F	10,300	3.08	0.91	12
60° F	11,000	2.91	0.95	10
50° F	11,500	2.70	1.01	7

- Weight - Operating:** 3,050 lbs.
- Weight - Shipping:** 3,400 lbs.
- Electrical Requirements:** 68 F.L.A. water-cooled
78 F.L.A. air-cooled
208 / 230 volt 3 phase 60 Hertz (other electrical arrangements optional)
- Compressor:** 12 H.P. high-efficiency, energy-saving Discus compressor
- Condensing Unit:** Refrigerant R-22; remote air-cooled condenser included.
- Ice Sizes:** 7/8" Diameter x 1" Length or 1-1/8" Diameter x 1" Length

Note: Capacity based on ambient air temperature of 90° F and water temperature of 70° F. Make-up water includes 20% blowdown.

U.S. Ice reserves the right to change specifications and design without notice.



ONE OF THE STRONGEST ICE MACHINES IN THE WORLD

650 N.W. 123rd Street • North Miami, FL 33168

Tel. 305.681.0023 • Toll-Free 877.681.6623 • Fax 305.681.5154

Email: info@usicemachinemfg.com • Website: www.usicemachinemfg.com www.usicemachine.net